

Cylinder Gas China Best Price Factory High quality Rare Xenon Gas

Basic Information

. Place of Origin: China . Brand Name: CMC COA · Certification: Model Number: Xe • Minimum Order Quantity: 1kg • Price: US \$15/kg Cylinder/Tank · Packaging Details: • Delivery Time: 15 days Payment Terms: L/C, T/T . Supply Ability: 10000tons/year



Product Specification

Product Name: Xenon

Cylinder Pressure: 15MPa/20MPa
 Boiling Point: -107.1 °C
 Melting Point: -112 °C
 Cylinder Standard: DOT/ISO

Transport Package: Sea TransportationSpecification: Cylinder1L 4L 8L 40L 50L

• Trademark: CMC

Origin: Place Of Origin Jiangsu, China

HS Code: 2804290000
 Supply Ability: 1000piece/Month
 CAS No.: 7440-63-3
 Formula: Xe
 EINECS: 231-172-7
 Constituent: Industrial Pure Air



More Images





Product Description

Product Description

Xenon is a chemical element with the symbol Xe and atomic number 54. Here are some key points about xenon:

Chemical Symbol: Xe Atomic Number: 54

Atomic Weight: 131.293 atomic mass units

State at Room Temperature: Xenon is a colorless, odorless, and tasteless noble gas. It is one of the rarest elements in the Earth's atmosphere, making up only a very small fraction (about 0.0000087% by volume).

Noble Gas: Xenon belongs to the noble gas group on the periodic table. Like other noble gases, it is chemically inert and has a full outer electron shell, making it stable and unreactive under normal conditions.

Occurrence: Xenon is found in trace amounts in the Earth's atmosphere, but it is obtained primarily as a byproduct of the production of liquid oxygen and liquid nitrogen. It can also be extracted from certain minerals and gases released during natural gas drilling.

Uses: Xenon has various applications due to its unique properties. It is used in lighting, particularly in specialized high-intensity discharge lamps, such as those used in automotive headlights and stadium lighting. Xenon is also used in certain types of lasers, as a propellant in ion thrusters for spacecraft, and in medical imaging techniques such as xenon computed tomography (XeCT).

Anesthetic Properties: Xenon has anesthetic properties and can be used as a general anesthetic in medical procedures. It has advantages over other anesthetics as it is not metabolized by the body and has a low risk of adverse effects.

Xenon Isotopes: Xenon has nine stable isotopes, with xenon-124 being the most abundant. Xenon-129 is used in scientific research to study the history of the Earth and the solar system.

Xenon Compounds: Although xenon is generally unreactive, it can form compounds under certain conditions, such as with highly electronegative elements. Xenon can react with fluorine to form xenon hexafluoride (XeF6) and other xenon fluorides.

Product Parameters

Basic Info.

Specification 100.00% Production Capacity 1000, 000liter/Year Cylinder Pressure 12.5MPa/15MPa/20MPa Cylinder Pressure 12.5MPa/15MPa/20MPa

Specification:

Dot Class: 2.2 State: Gas Purity: 99.999% UN NO: UN2036 CAS NO: 7740-63-3

Grade Standard: Industrial Grade

Specification 99.999% Hydrogen ≤ 0.5 ppm Oxygen + Argon ≤ 1.5 ppm ≤ 2.5 ppm Nitrogen Carbon Dioxide ≤ 0.2 ppm Carbon Monoxide≤ 0.3 ppm Methane ≤ 0.3 ppm Krypton ≤ 2.0 ppm Fluor chemical ≤ 0.5 ppm Nitrous Oxide ≤ 0.2 ppm Moisture ≤ 2.0 ppm

Detailed Photo



Packaging & Shipping
Cylinder Specifications ContentsPressure

Cylinder Capacity Valve Volume bar psig 40L CGA580 6 m3 150 2175 47L CGA580 7 m3 150 2175 50L CGA580 10 m3 200 2900

Packaging & Shipping

Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

SiCl4 NH3 NH3	CH3F SiH4 Kr H2S WF6	F6+CI2
4MS C3F8 C3F8	TEOS CH4 PH3 SF6 C2	HCI+Ne
CF4 C4F8 SiH2		TMB+H2
SiF4 C3H8 CI2		He +As
BBr3 C3H6 DCE		Ge+Se
POCI3 N2 SO2		D+B
BCI3 D2 CO2		CO+NO
SiHCI3 CH2F2 HF	AsH3 C2H4 C2H2 HBr COS	Ar+O2
TMAI DMZn DEZn	GeH4 C2H6 B2H6 H2Se GeCl4	Xe+NO







